


Fig. 2











Fig. 4








Lenses with adjustable
Focal length

Grid-Etched
Beam Splitter
(X% reflective)

Grid-Etched
Beam Splitter
(Y% reflective,
Adjustable Angle)

Grid

Fig. 8



Lenses with adjustable
Focal length

Grid-Etched
Beam Splitter
(X% reflective)

Grid-Etched
Beam Splitter
(Y% reflective,
Adjustable Angle)

Grid

Grid

Receivers

To CPU





Fig. 9

10081932.1020102



Lenses with adjustable
Focal length

Beam Splitter
(X% reflective)

Grid-Etched
Beam Splitter
(Y% reflective,
Adjustable Angle)

Grid

Grid

Receivers

To CPU




Fig. 12

10084032.000102

**Lenses with adjustable
Focal length**

**Grid-Etched
Beam Splitter
(X% reflective)**

**Grid-Etched
Beam Splitter
(Y% reflective,
Adjustable Angle)**

Unaltered image




Fig. 13

202502260001





Fig. 14



10081922.030102




Fig. 16

10081932.000102

Adjustable Lenses

Grid-Etched
Beam Splitter
(Adjustable Height / Angle)

IR Receivers

Comprehensive
Receivers




Fig. 17

10084022.020102




Fig. 18




Fig. 19A




Fig. 19B